

CLAIMS

What is claimed is:

- 1 1. A system coupled to a network, wherein the system comprises:
 - 2 at least one terminal capable of wireless communication with the
 - 3 network through a gateway, wherein the terminal includes shared
 - 4 communication facilities for at least two users;
 - 5 a server coupled to the gateway for providing services and information
 - 6 management services to the terminal; and
 - 7 a global unit coupled to the gateway, wherein activation of the terminal
 - 8 is initiated by a request to the global unit.
- 1 2. The system of claim 1, wherein the global unit has an address of an
- 2 access provider.
- 1 3. The system of claim 2, wherein the global unit has an address of a
- 2 network unit, wherein the network unit is an internet service provider and the
- 3 global unit authenticates the terminal for starting a shared communication
- 4 session with a group profile once the communication connection between the
- 5 authenticated terminal and the server is established.
- 1 4. The system of claim 1, wherein the terminal initiates authentication of
- 2 the terminal before a shared communication session is established.
- 1 5. The system of claim 1, wherein the global unit comprises a global
- 2 registry including the address of an access provider, an internet service
- 3 provider, and a mobile service provider.
- 1 6. The system of claim 1, wherein the user is authenticated in a network
- 2 node and wherein authentication is provided for a shared communication
- 3 session based on information received from a global registry.
- 1 7. The system of claim 1, wherein a user of the terminal initiates a
- 2 request for an individual communication session with the server.
- 1 8. The system of claim 1, wherein the terminal comprises:

- 2 an operating system including a driver;
- 3 a touch sensitive display coupled to the operating system for graphical
- 4 display of information;
- 5 a user interface coupled to the operating system for providing the user
- 6 with selection and input control; and
- 7 a browser coupled to the operating system for allowing enabled
- 8 services to be selectable.

1 9. The system of claim 8, wherein the enabled services are located in a

2 support server.

1 10. The system of claim 8, wherein the enabled services are located in an

2 Internet.

1 11. The system of claim 8, wherein the enabled services are group and

2 individual services.

1 12. The system of claim 1, wherein the server comprises:

2 a support server coupled to an internet service provider for providing

3 the terminal with information management services, including access

4 to messaging services;

5 a directory server coupled to the support server for providing directory

6 services including authentication of the terminal and each user; and

7 an application server coupled to the directory server for providing

8 application specific services.

1 13. The system of claim 12, wherein the terminal is authenticated by a

2 network unit to start a shared communication session and each user is

3 authenticated by the support server for starting an individual communication

4 session.

1 14. The system of claim 12, wherein the application server transmits a

2 group specific profile to the terminal of a specified group when a shared

3 communication session is active and transmits an individual specific profile to
4 the terminal when an individual communication session is active.

1 15. The system of claim 14, wherein the group specific profile and the
2 individual specific profile include language selection unique to that profile.

1 16. The system of claim 14, wherein at least one individual specific profile
2 has administrative rights to modify the group specific profile.

1 17. The system of claim 16, wherein at least one parameter of the services
2 and the group specific profile can be updated by the user having the
3 individual specific profile.

1 18. The system of claim 17, wherein the updated parameter is stored in a
2 database of the server when a change session is terminated.

1 19. The system of claim 18, wherein after the change session is
2 terminated, updated content is selectable from any terminal of the specified
3 group.

1 20. The system of claim 12, wherein at least one parameter of the services
2 and the group specific profile can be updated by any terminal that is part of
3 the group.

1 21. The system of claim 12, wherein the support server comprises:

2 an application server;

3 an upgrade service unit coupled to the application server for receiving
4 software upgrades from a global upgrade server;

5 a login service unit coupled to the application server for authenticating
6 the terminal for a shared session and an individual session;

7 a profile service unit coupled to the application server for providing and
8 updating shared session profiles and individual session profiles; and

9 an administrative service unit coupled to the application server for
10 administration of the support server and a network application server.

1 22. The system of claim 21, further comprising an advertisement service
2 unit coupled to the application server for configuring advertised services for
3 the appropriate profile associated with the session that is active on the
4 terminal.

1 23. A system of claim 21, wherein at least one parameter of the group
2 profile and individual profile can be changed by the application server.

1 24. The system of claim 1, wherein the global unit comprises:

2 a firewall unit for providing secured access;

3 a global address server coupled to the firewall unit for storing the
4 internet address of the server associated with the terminal; and

5 a global upgrade server coupled to the global address server for
6 providing updated data, including software, to the server and the
7 terminal.

1 25. A system of claim 24, wherein an upgrade service unit receives, from
2 the global upgrade server, a software product comprising:

3 executable software;

4 at least one identification of the software product; and

5 an address of the server from where the software can be downloaded,
6 wherein the global upgrade server responds to the server identifying
7 from where the software product is available for downloading.

1 26. A method for providing a terminal in communication with a network, the
2 method comprising:

3 coupling at least one terminal through a wireless connection to the
4 network, wherein the terminal has shared communication facilities for
5 at least two users;

6 establishing a communication link with a gateway to obtain an internet
7 address for the terminal relative to the internet address of the gateway;

8 obtaining an internet address for a server to establish a shared
 9 communication session between the terminal and the server to allow
 10 access to information management services; and

11 downloading a group profile configuration from the server to the
 12 terminal.

1 27. The method of claim 26, further comprising authenticating the terminal.

1 28. The method of claim 26, further comprising configuring the terminal in
 2 accordance with the group profile.

1 29. The method of claim 26, further comprising:
 2 requesting an individual communication session for the user;
 3 authenticating the user to establish the individual communication
 4 session; and
 5 terminating the individual communication session and converting to the
 6 shared communication session.

1 30. The method of claim 29, wherein the individual communication session
 2 is terminated upon expiration of a predetermined period of time without user
 3 input.

1 31. The method of claim 26, wherein the step of obtaining comprises:
 2 retrieving an address of a global address server;
 3 establishing a communication link between the terminal and an internet
 4 service provider;
 5 sending a request to the global address server, wherein the request is
 6 a request for the address of the server;
 7 receiving the address of the server from the global address server;

0055070-18555260

8 transmitting identification information unique to the terminal and the
9 address of the terminal from the terminal to the server for
10 authentication by the server; and

11 authenticating the terminal to establish the shared communication
12 session.

1 32. The method of claim 26, wherein the step of obtaining comprises:
2 establishing a communication link between the terminal and an access
3 provider;
4 retrieving an internet address of a global address server;
5 sending a request to the global address server, wherein the request is
6 a request for an internet address of the server;
7 receiving the internet address of the server from the global address
8 server;
9 transmitting identification information that is unique to the terminal and
10 the internet address of the terminal from the terminal to a network
11 provider that authenticates the terminal; and
12 authenticating the terminal to establish the shared communication
13 session.

1 33. The method of claim 26, wherein the step of obtaining comprises:
2 establishing a communication link between the terminal and an access
3 provider;
4 authenticating the terminal to establish a shared communication
5 session by a network provider;
6 retrieving an internet address of a global address server;
7 sending a request to the global address server, wherein the request is
8 a request for an internet address a mobile system server;

09/25/2014 13:55:26

9 receiving the address of the mobile system server; and
 10 transmitting identification information unique to the terminal and the
 11 address of the mobile system server received from the global registry
 12 to a network provider.

1 34. A method for providing a user with wireless access to an internet and
 2 information management services using a terminal capable of wireless
 3 communication with a server and a global address server through a gateway,
 4 the method comprising:

5 powering on the terminal;
 6 establishing a communication link with the gateway to obtain an
 7 internet address for the terminal;
 8 obtaining an internet address for the server that will be authenticating
 9 the terminal and downloading to the terminal the group profile
 10 configuration; and
 11 establishing a shared communication session between the terminal
 12 and the server to allow access to information management services.

1 35. A system for providing a user with wireless internet access to a
 2 network through a gateway and information management, the system
 3 comprising:

4 a terminal coupled to the gateway, wherein, the terminal has shared
 5 facilities for at least two users; and

6 a server coupled to the gateway, wherein the server authenticates the
 7 terminal and establishes a shared communication session with the
 8 terminal in order to provide access to shared services to the user.

1 36. The system of claim 35, further comprising:

2 an internet service provider coupled to the gateway and an internet;
 3 and

4 an application server coupled to the gateway for providing access to
5 shared and individual profiles.

1 37. The system of claim 35, wherein an internet address for the terminal
2 relative to an internet service provider is requested from a global registry.

1 38. The system of claim 35, further comprising a content provider coupled
2 to the gateway for providing an internet address associated with the server to
3 the terminal.

1 39. The system of claim 38, wherein one user is authenticated as an
2 individual user within a group and an individual communication session is
3 established to allow the user to access individual information and data and
4 wherein an individual profile of the individual user is downloaded to the
5 terminal for configuring the terminal.

1 40. A software program executable by a system comprising:
2 means for requesting a software unit;
3 a global upgrade server coupled to the requesting means for
4 answering a request for the software unit;
5 a network unit coupled to the global upgrade server and a server for
6 carrying the request and a response message between the server and
7 the global upgrade server, wherein the software unit includes a version
8 identification of the software unit located in the global upgrade server
9 ready to be downloaded; and
10 a comparison unit used by the server, wherein the comparison unit
11 compares the version of the software unit that is received from the
12 global upgrade server to a version of an existing software unit and if
13 the existing software unit is outdated relative to the software unit, then
14 the software unit can be downloaded to the server.

1 41. The software program of claim 40, wherein the server further
2 comprises:

3 an upgrade server, capable of periodically requesting versions of the
4 software unit from the global upgrade server; and

5 a support server coupled to and notified by the upgrade server when a
6 new version of the software unit is available in the upgrade server.

1 42. The software program of claim 40, wherein the software unit is an
2 executable software program ready to be executed in the server or in the
3 terminal.

1 43. The software program of claim 40, wherein the downloaded software
2 unit includes the version identification.

1 44. The software program of claim 40, wherein a control unit in the server
2 compares the version of the software unit available with the version received
3 in the request message from the terminal.

1 45. The software program of claim 40, wherein the terminal requests to
2 download the software unit to the terminal.

FOIA b 7 - DEXTER